

Ember

P R E M I U M



P R E M I U M W O O D S T O V E C A T A L O G U E

MODERN LIVING, TRADITIONAL HEATING.

Step into the world of premium wood-burning stoves

Table of contents

Classic Line	4 - 5
E-Basic	6 - 7
E11	8 - 9
E14	10 - 11
E16	12 - 13
COOK	14 - 15
Modern Line	16 - 17
E11 FG	18 - 19
E11 FG <i>Stone cladding</i>	20 - 21
E14 FG	22 - 23
E16 FG	24 - 25
E15 FG	26 - 27
E15 XL FG	28 - 29
D19 FG	30 - 31
F11 FG	32 - 33
F14 FG	34 - 35
F16 FG	36 - 37
U2 FG	38 - 39
Serie 50	40 - 41
O1	42 - 43
O1 FG	44 - 45
O1 FG <i>Rounded sides</i>	46 - 47
O1 XL	48 - 49
O2	50 - 51
O2 FG	52 - 53
O2 FG <i>Rounded sides</i>	54 - 55
M3 FG	56 - 57
M4 FG	58 - 59



CLASSIC LINE

At the heart of your home, where warmth and comfort meet, our classic wood-burning stoves embody true authenticity. They combine timeless design with high-level functionality, built on traditional craftsmanship and premium-quality materials.

A key advantage of this range lies in its thermobeton combustion chamber. This high-grade material stores heat extremely efficiently and ensures long-lasting diffusion, creating a cozy atmosphere and a constant temperature without unnecessary energy loss.

The firebox door, crafted from robust steel, highlights the overall understated elegance and ensures long-term durability. An integrated three-point locking system guarantees not only optimal safety but also a perfectly airtight seal and efficient combustion.


As a result, the Classic Line blends proven tradition with modern heating technology. It offers more than just warmth – it creates a true aesthetic experience and a place for unforgettable moments in your home.



E-BASIC

Thanks to its compact design, this stove is the ideal choice for smaller spaces. The E-Basic model combines efficient heating performance with a modern design, integrating elegantly into any interior style. Enjoy pleasant warmth and a refined ambiance, perfectly suited to your interior style.


NOMINAL HEAT OUTPUT	6.5 kW
HEATING AREA	135 m ²
WEIGHT	105 kg
DISTANCE TO COMBUSTIBLE MATERIALS	100/100/800
REAR / SIDE / FRONT (mm)	
EFFICIENCY	81%
PARTICULATE EMISSIONS	35 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A+



E11

Inspired by the popular E14 model, this model allows integration of a heat accumulator above the firebox and is optimized for logs up to 33 cm in length. The E11 combines an elegant aesthetic with highly efficient heating performance, complying with modern standards. It integrates harmoniously into any contemporary interior and brings a unique touch of warmth, style, and comfort to your space.

NOMINAL HEAT OUTPUT	6.5 kW
HEATING AREA	135 m ²
WEIGHT	155 kg
DISTANCE TO COMBUSTIBLE MATERIALS	100/100/800
REAR / SIDE / FRONT (mm)	
EFFICIENCY	81%
PARTICULATE EMISSIONS	35 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A+



Also available in the following versions:



SERPENTINO

LIMESTONE






E14

As the core model of the E series, the E14 impresses with its timeless design and exceptional performance, which have been appreciated for many years. It fits easily into any interior and creates a pleasant and inviting atmosphere. Beneath the firebox is a practical wood storage compartment, available either as an open version or with an elegant door.



NOMINAL HEAT OUTPUT	6.5 kW
HEATING AREA	135 m ²
WEIGHT	105 kg
DISTANCE TO COMBUSTIBLE MATERIALS	100/100/800
REAR / SIDE / FRONT (mm)	
EFFICIENCY	81%
PARTICULATE EMISSIONS	35 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A+

- ECO DESIGN 2022
- THE FRESH AIR CONNECTION
- 33cm
- 5 YEAR WARRANTY
- NORME EN 16510
- SCHOTT GLASS



Also available in the following versions:



SERPENTINO




LIMESTONE

E16

The E16 model of the E series stands out with its innovative rotating base, allowing targeted heat distribution as well as a flexible view of the fire from any angle in the room. Thanks to its modern design, it integrates perfectly into open-plan spaces and creates a seamless connection between different living areas.

NOMINAL HEAT OUTPUT	6.5 kW
HEATING AREA	135 m ²
WEIGHT	140 kg
DISTANCE TO COMBUSTIBLE MATERIALS	100/100/800
REAR / SIDE / FRONT (mm)	
EFFICIENCY	81%
PARTICULATE EMISSIONS	35 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A+



Also available in the following versions:



SERPENTINO

LIMESTONE






COOK

The Cook model represents a perfect combination of the elegance of a fireplace and the practicality of a stove. With its clean lines and contemporary design, Cook integrates harmoniously into any interior. Designed for a modern lifestyle, this fireplace brings pleasant warmth to your home, with the added possibility of preparing simple meals.

NOMINAL HEAT OUTPUT	5.5 kW
HEATING AREA	155 m ²
WEIGHT	81 kg
DISTANCE TO COMBUSTIBLE MATERIALS	250/350/850
REAR / SIDE / FRONT (mm)	
EFFICIENCY	85%
PARTICULATE EMISSIONS	40 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A+



Ceran heating plate



The top plate of this fireplace is made of Ceran glass and serves as a heating plate, ideal for preparing and reheating food. It allows for the practical use of the fireplace's heat while maintaining safety, functionality, and an elegant design.



MODERN LINE

In today's modern lifestyle, our modern wood-burning stoves perfectly combine style, functionality, and technology. They offer a solution that ideally adapts to your contemporary lifestyle.

Our range of stoves brings together innovative technology, aesthetic design, and functionality. Each model serves as a valuable addition to your interior. Enjoy the warmth, elegance, and comfort of our exclusive models.

The glass doors allow you to fully enjoy the view of the flames and a pleasant warmth. The elegant handle, continuous across the entire height, lends the stove an extra touch of refinement while ensuring simple and easy intuitive operation.

The thermobeton combustion chamber effectively stores heat and ensures long-lasting comfort. It also helps reduce environmental impact and promotes a more sustainable lifestyle.


The 8 mm thick steel top plate offers high stability and emphasizes the modern aesthetic of the appliance. It allows for a harmonious integration into any contemporary interior.



E11 FG

With its full-glass door, the E11 FG is both an efficient heat source and a truly elegant design object. Our patented combustion system guarantees optimal energy use and a reduction in heating costs. Experience the perfect balance between aesthetics and efficiency, bringing a warm and comfortable atmosphere to your home.

NOMINAL HEAT OUTPUT	6.5 kW
HEATING AREA	135 m ²
WEIGHT	155 kg
DISTANCE TO COMBUSTIBLE MATERIALS	100/100/800
REAR / SIDE / FRONT (mm)	
EFFICIENCY	81%
PARTICULATE EMISSIONS	35 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A+



Also available in the following versions:



SERPENTINO




LIMESTONE

E11 FG *Stone cladding version*

Ember E11 with glass doors now comes in an even more powerful and impressive version. Its finish in a rich stone cladding, covering the top, sides, and front panel, gives it a resolutely luxurious and modern character. This model brings not only exceptional warmth, but also a strong aesthetic impact that will make a strong visual statement.

NOMINAL HEAT OUTPUT	6.5 kW
HEATING AREA	135 m ²
WEIGHT	105 kg
DISTANCE TO COMBUSTIBLE MATERIALS	100/100/800
REAR / SIDE / FRONT (mm)	
EFFICIENCY	81%
PARTICULATE EMISSIONS	35 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A+



A natural stone cladding that does not go unnoticed – a sophisticated detail that catches the eye and brings a touch of luxury and elegance to the space.






E14 FG

The E14 FG offers not only an unobstructed view of the flames, but also enhances the sense of space to your interior. This modern version retains all the proven qualities of the classic E14 model, such as high safety standards, simplified maintenance, and great durability. With the E14 FG, discover a perfect harmony between elegance and functionality, characteristic of the entire E series.



NOMINAL HEAT OUTPUT	6.5 kW
HEATING AREA	135 m ²
WEIGHT	105 kg
DISTANCE TO COMBUSTIBLE MATERIALS	100/100/800
REAR / SIDE / FRONT (mm)	
EFFICIENCY	81%
PARTICULATE EMISSIONS	35 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A+

- ECO DESIGN 2022
- THE FRESH AIR CONNECTION
- 33cm
- 5 YEAR WARRANTY
- NORME EN 16510
- SCHOTT GLASS



Also available in the following versions:




SERPENTINO

LIMESTONE

E15 FG

This stove stands out for its modern design and unique triple glazing, offering a view of the fire from three different directions. The wide front glass door, combined with the two side windows, allows an unobstructed view of the flames from every angle of the room. The E15 is much more than a simple heat source – it becomes the refined focal point of your interior, perfectly combining aesthetics and functionality.

NOMINAL HEAT OUTPUT	6.0 kW
HEATING AREA	135 m ²
WEIGHT	101 kg
DISTANCE TO COMBUSTIBLE MATERIALS	130/700/800
REAR / SIDE / FRONT (mm)	
EFFICIENCY	80%
PARTICULATE EMISSIONS	40 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A



Enjoy the view of the flames from from every angle of your space.






E15 XL FG

The E15 XL FG model allows for the installation of a heat accumulator directly above the firebox, ensuring effective heat retention and more efficient distribution throughout the room. Whether in a living room or a relaxation area, the E15 XL FG becomes a central element thanks to its elegant design and practical features. With this model, enjoy a pperfect balance of style and performance.

NOMINAL HEAT OUTPUT	6.0 kW
HEATING AREA	135 m ²
WEIGHT	131 kg
DISTANCE TO COMBUSTIBLE MATERIALS	130/700/800
REAR / SIDE / FRONT (mm)	
EFFICIENCY	80%
PARTICULATE EMISSIONS	40 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A

- ECO DESIGN 2022
- THE FRESH AIR CONNECTION
- 33cm
- 5 YEAR WARRANTY
- NORME EN 16510
- SCHOTT GLASS



Enjoy the view of the flames from from every angle of your space.




E16 FG

The E16 FG stands out with its innovative rotating base, allowing you to freely direct the view of the fire toward any part of your interior. This solution is ideal for open-plan spaces and creates a harmonious connection between different living areas. More than just a functional appliance, the E16 FG, with its full-glass door, adds an aesthetic touch and creates a warm, welcoming atmosphere in your living space.

NOMINAL HEAT OUTPUT	6.5 kW
HEATING AREA	135 m ²
WEIGHT	140 kg
DISTANCE TO COMBUSTIBLE MATERIALS	100/100/800
REAR / SIDE / FRONT (mm)	
EFFICIENCY	81%
PARTICULATE EMISSIONS	35 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A+

- ECO DESIGN 2022
- THE FRESH AIR CONNECTION
- 33cm
- 5 YEAR WARRANTY
- NORME EN 16510
- SCHOTT GLASS



Also available in the following versions:



SERPENTINO

LIMESTONE






D19 FG

One of the main strengths of this stove lies in its spacious wood compartment located beneath the combustion chamber, discreetly concealed behind a door and perfectly integrated into the overall design. It ensures a well-ordered interior while keeping firewood always within reach. Enjoy comfort and elegance with the D19 FG – an essential element that brings warmth and refinement to any interior.



NOMINAL HEAT OUTPUT	6.6 kW
HEATING AREA	135 m ²
WEIGHT	137 kg
DISTANCE TO COMBUSTIBLE MATERIALS	180/420/1150
REAR / SIDE / FRONT (mm)	
EFFICIENCY	80%
PARTICULATE EMISSIONS	40 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A



Also available in the following versions:



SERPENTINO




LIMESTONE

F11 FG

This model allows installation of a heat accumulator directly above the firebox, thereby guaranteeing long-lasting heat distribution. The elegant full-glass doors, combined with a continuous stainless steel handle, give the stove a refined touch. In addition to enhancing the aesthetics of your interior, they offer an unobstructed view of the dancing flames and create a warm atmosphere. The F11 FG is the ideal choice for those seeking perfect harmony between elegant design and high functionality.

NOMINAL HEAT OUTPUT	7.0 kW
HEATING AREA	140 m ²
WEIGHT	130 kg
DISTANCE TO COMBUSTIBLE MATERIALS	180/520/1150
REAR / SIDE / FRONT (mm)	
EFFICIENCY	82%
PARTICULATE EMISSIONS	40 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A+



Large glass surfaces and a spacious firebox guarantee an unobstructed and impressive view of the fire. The discreet, continuous handle preserves this visibility while adding extra elegance to the design.






F14 FG

One of the remarkable features of this model is its wide glass surface covering the entire combustion chamber. This not only allows for a maximum view of the flames but also brings a sense of space and openness to your interior. The continuous stainless steel handle adds a touch of elegance and modernity. Comfort, style, and practicality—all brought together in the F14 FG model of the F series. Let your interior radiate with warmth and refinement.



NOMINAL HEAT OUTPUT	7.0 kW
HEATING AREA	140 m ²
WEIGHT	130 kg
DISTANCE TO COMBUSTIBLE MATERIALS	180/520/1150
REAR / SIDE / FRONT (mm)	
EFFICIENCY	82%
PARTICULATE EMISSIONS	40 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A+

-  ECO DESIGN 2022
-  THE FRESH AIR CONNECTION
-  33cm
-  5 YEAR WARRANTY
-  NORME EN 16510
-  SCHOTT GLASS




Large glass surfaces and a spacious firebox guarantee an unobstructed and impressive view of the fire. The discreet, continuous handle preserves this visibility while adding extra elegance to the design.

F16 FG

This innovative stove is mounted on a rotating base, allowing the combustion chamber to be oriented in the desired direction. Thanks to this flexibility, the F16 FG is ideal for modern open-plan spaces. Whether in the living room or the dining area, direct the view of the fire exactly where you want to enjoy the warmth and ambiance.

NOMINAL HEAT OUTPUT	7.0 kW
HEATING AREA	140 m ²
WEIGHT	125 kg
DISTANCE TO COMBUSTIBLE MATERIALS	180/520/1150
REAR / SIDE / FRONT (mm)	
EFFICIENCY	82%
PARTICULATE EMISSIONS	40 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A+



Large glass surfaces and a spacious firebox guarantee an unobstructed and impressive view of the fire. The discreet, continuous handle preserves this visibility while adding extra elegance to the design.






U2 FG

The U2 model from the Classic Line stands out with its robust construction and innovative rotating base. This allows for flexible orientation of the combustion chamber, letting you enjoy the view of the flames from every angle of the room. A perfect combination of traditional reliability and modern adaptability for your interior.

NOMINAL HEAT OUTPUT	5.0 kW
HEATING AREA	125 m ²
WEIGHT	85 kg
DISTANCE TO COMBUSTIBLE MATERIALS	200/200/800
REAR / SIDE / FRONT (mm)	
EFFICIENCY	81%
PARTICULATE EMISSIONS	29 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A+



Large glass surfaces and a spacious firebox guarantee an unobstructed and impressive view of the fire. The discreet, continuous handle preserves this visibility while adding extra elegance to the design.



SERIES 50

The 50 series features wood-burning stoves with high heating power, designed for logs up to 50 cm in length, thus setting new standards in efficiency and performance. These stoves bring warmth and comfort to your interior in a completely new way.

A key element of this series is the thermobeton firebox, specially designed for larger logs. It allows for prolonged heat accumulation and increased efficiency, even on the coldest days.


The elegant handle, extending across the entire height of the door, combines aesthetics and functionality. It makes opening and closing easier while adding a refined and sophisticated touch to the design.

The 50 series is much more than just a stove – it symbolizes power, efficiency, and reliability. Enjoy maximum warmth with minimal effort and transform your interior into a true cocoon of well-being.

O1

Made of robust steel, this stove combines a powerful presence with refined elegance. It stands out with a full-height door handle and accommodates logs up to 50 cm, offering a maximum view and long-lasting heat. Available in a steel version or with soapstone or limestone cladding, the O1 adapts to any interior. A remarkable piece that brings rustic charm and a warm atmosphere to your living space.

NOMINAL HEAT OUTPUT	7.6 kW
HEATING AREA	145 m ²
WEIGHT	147 kg
DISTANCE TO COMBUSTIBLE MATERIALS	100/450/1270
REAR / SIDE / FRONT (mm)	
EFFICIENCY	76%
PARTICULATE EMISSIONS	40 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A



Also available in the following versions:



SERPENTINO



LIMESTONE







O1 FG

The glass facade offers a clear view of the flames and creates a welcoming atmosphere while guaranteeing the highest safety standards. Thanks to advanced combustion technology, the O1 FG ensures efficient heating performance and optimal wood usage. The ideal choice for those who appreciate discreet sophistication and everyday comfort.

NOMINAL HEAT OUTPUT	7.6 kW
HEATING AREA	145 m ²
WEIGHT	147 kg
DISTANCE TO COMBUSTIBLE MATERIALS	100/450/1270
REAR / SIDE / FRONT (mm)	
EFFICIENCY	76%
PARTICULATE EMISSIONS	40 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A



Also available in the following versions:



SERPENTINO




LIMESTONE

O1 FG *Rounded sides*

The O1 model, with its large glass door, is presented in a refined new version. Redesigned, rounded side lines bring a touch of softness to its appearance while maintaining its distinctive and powerful character. Elegant and remarkable, this model fits perfectly into any interior and never goes unnoticed.

NOMINAL HEAT OUTPUT	7.6 kW
HEATING AREA	145 m ²
WEIGHT	192 kg
DISTANCE TO COMBUSTIBLE MATERIALS	100/450/1270
REAR / SIDE / FRONT (mm)	
EFFICIENCY	76%
PARTICULATE EMISSIONS	40 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A



This model is also available in a natural stone version, bringing extra durability and a strong visual identity to the space—an impact that creates a strong visual impact






O1 XL

The O1 XL represents the large-format version of our classic model. A true centerpiece, it combines elegant aesthetics with an even more striking presence. Available with soapstone or limestone cladding, its design adapts to your personal style. Its generous proportions transform every fire into a spectacular experience and lend a unique character to your interior.



NOMINAL HEAT OUTPUT	7.6 kW
HEATING AREA	145 m ²
WEIGHT	192 kg
DISTANCE TO COMBUSTIBLE MATERIALS	100/450/1270
REAR / SIDE / FRONT (mm)	
EFFICIENCY	76%
PARTICULATE EMISSIONS	40 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A

- ECO DESIGN 2022
- THE FRESH AIR CONNECTION
- 50cm
- 5 YEAR WARRANTY
- NORME EN 16510
- SCHOTT GLASS




Also available in the following versions:



O2

The O2 model is equipped with a 50 cm wide firebox and is available in robust steel or with limestone or soapstone cladding. Its main advantage: unlike the O1 model, it offers the possibility of heat accumulation. Massive elements located above the firebox store the heat and release it for hours after the fire has gone out, in the form of gentle, radiant warmth. Whether in steel or stone, the O2 becomes the heart of your interior for long-lasting and comfortable warmth.

NOMINAL HEAT OUTPUT	7.6 kW
HEATING AREA	145 m ²
WEIGHT	192 kg
DISTANCE TO COMBUSTIBLE MATERIALS	100/450/1270
REAR / SIDE / FRONT (mm)	
EFFICIENCY	76%
PARTICULATE EMISSIONS	40 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A



Also available in the following versions:



SERPENTINO



LIMESTONE






O2 FG

The O2 FG is a refined and enhanced version of the O2 model, characterized by its full-glass door that elevates both the aesthetics and the atmosphere. With its clean lines and minimalist silhouette, it integrates perfectly into modern interiors, where the stove becomes a true centerpiece.



NOMINAL HEAT OUTPUT	7.6 kW
HEATING AREA	145 m ²
WEIGHT	192 kg
DISTANCE TO COMBUSTIBLE MATERIALS	100/450/1270
REAR / SIDE / FRONT (mm)	
EFFICIENCY	76%
PARTICULATE EMISSIONS	40 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A

- ECO DESIGN 2022
- THE FRESH AIR CONNECTION
- 50cm
- 5 YEAR WARRANTY
- NORME EN 16510
- SCHOTT GLASS




Also available in the following versions:



O2 FG *Rounded sides*

The O2 model offers a perfect combination of power and contemporary design in a renewed version. Its elegantly rounded side lines soften the form, creating a harmonious and sophisticated appearance while maintaining a strong presence in the room. Modern and remarkable, the O2 integrates easily into various interior styles and always leaves a lasting impression.

NOMINAL HEAT OUTPUT	7.6 kW
HEATING AREA	145 m ²
WEIGHT	192 kg
DISTANCE TO COMBUSTIBLE MATERIALS	100/450/1270
REAR / SIDE / FRONT (mm)	
EFFICIENCY	76%
PARTICULATE EMISSIONS	40 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A



This model is also available in a natural stone version, bringing extra durability and a strong visual identity to the space—a strong visual impact.






M3 FG

Our new stove combines a slender design with top-tier functionality. Crafted from high-quality steel, it features a large firebox that can accommodate logs up to 50 cm. Its large glass door offers an exceptional view of the fire. For maximum comfort, it is equipped with an integrated wood compartment as well as modular side shelves, adaptable to your style. A functional and aesthetic element, designed to provide long-term warmth and reliability.



NOMINAL HEAT OUTPUT	8.1 kW
HEATING AREA	155 m ²
WEIGHT	166 kg
DISTANCE TO COMBUSTIBLE MATERIALS	280/440/1500
REAR / SIDE / FRONT (mm)	
EFFICIENCY	80%
PARTICULATE EMISSIONS	40 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A

-  ECO DESIGN 2022
-  THE FRESH AIR CONNECTION
-  50cm
-  5 YEAR WARRANTY
-  NORME EN 16510
-  SCHOTT GLASS





Our wood storage modules are available as an option and can be stacked and configured according to your needs. By customizing their arrangement, you transform both the appearance of the stove and your living space, combining practicality with personalized design.



M4 FG

Bring a touch of elegance to your interior with this stove featuring triple glazing, offering a perfect view of the fire from every angle. Its large firebox is designed for 50 cm logs, while the integrated compartment keeps wood always within reach. Thanks to the modular shelves, adaptable to your space, the M4 FG becomes a central element that is both functional and aesthetic for any modern interior.

NOMINAL HEAT OUTPUT	8.5 kW
HEATING AREA	155 m ²
WEIGHT	195 kg
DISTANCE TO COMBUSTIBLE MATERIALS	200/600/1400
REAR / SIDE / FRONT (mm)	
EFFICIENCY	81%
PARTICULATE EMISSIONS	40 mg/m ³
COMBUSTION AIR INTAKE (mm)	Ø 100 mm
FLUE GAS CONNECTION (mm)	Ø 150 mm
ENERGY CLASS	A+



Our wood storage modules are available as an option and can be stacked and configured according to your needs. By customizing their arrangement, you transform both the appearance of the stove and your living space, combining practicality with personalized design.

